

MONI-PT100-EXE RTD SENSOR ASSEMBLY FOR HAZARDOUS AREAS



nVent RAYCHEM MONI-PT100-EXE is a three-wire platinum resistance temperature detector (RTD), supplied with glass fiber reinforced polycarbonate junction box. Suitable for hazardous areas.

FEATURES

Simple and fast to install: M20 EEx e cable gland is preinstalled, supplied with glass fiber reinforced polycarbonate junction box and 4 front entry cage clamp terminals

SPECIFICATIONS

Table 1/2

Catalog Number	Item Name	Housing Material	Mounting	Measuring Range	Area Classification	Cable Length
967094-000	MONI-PT100-EXE	Glass Fibre Reinforced Polyester	Bracket	-100 to 500 °C	Zone 1	2 m

Table 2/2

Catalog Number	Item Name	Fixed Cable to Sensor
967094-000	MONI-PT100-EXE	Yes

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America
Tel +1.800.545.6258
Fax +1.800.527.5703
thermal.info@nvent.com

Europe, Middle East, Africa
Tel +32.16.213.511
Fax +32.16.213.604
thermal.info@nvent.com

Asia Pacific
Tel +86.21.2412.1688
Fax +86.21.5426.3167
cn.thermal.info@nvent.com

Latin America
Tel +1.713.868.4800
Fax +1.713.868.2333
thermal.info@nvent.com



Our powerful portfolio of brands:
nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF
TRACER

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.